

```

<?xml version="1.0"?>
<xs:schema attributeFormDefault="qualified" xmlns:xs="http://www.w3.org/2001/XMLSchema">
<xs:element name="DokAPDRGPv3" nillable="true">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="Precizejums" nillable="true" type="xs:boolean" />
<xs:element minOccurs="0" maxOccurs="1" name="PrecizejamaisDokuments" nillable="true">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="PrecizejumaPamatojums" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Id" nillable="true">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="NmrKods" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="IesniegumaDati">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="IesniegumaDatums" nillable="true" type="xs:date" />
<xs:element minOccurs="0" maxOccurs="1" name="PakalpojumaKanals" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="CitsLietotajs" type="xs:boolean" />
<xs:element minOccurs="0" maxOccurs="1" name="Parakstitaji">
<xs:complexType>
<xs:sequence>
<xs:element minOccurs="0" maxOccurs="unbounded" name="R" nillable="true">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="PersonasKods" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="VardsUzvards" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Pamatojums" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="IesniegumaFaili">
<xs:complexType>
<xs:sequence>
<xs:element minOccurs="0" maxOccurs="unbounded" name="R" nillable="true">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="Komentars" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Fails">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
<xs:element minOccurs="1" maxOccurs="1" name="Satur" type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />

```

```

        </xs:complexType>
    </xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="TaksNo" nillable="true" type="xs:dateTime" />
<xs:element minOccurs="0" maxOccurs="1" name="TaksLidz" nillable="true" type="xs:dateTime" />
<xs:element minOccurs="0" maxOccurs="1" name="Epasts" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Talrunis" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Sagatavotajs" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="IesniegtsGadaParskats">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="Id" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="IesniegsanasDatums" nillable="true" type="xs:dateTime" />
            <xs:element minOccurs="0" maxOccurs="1" name="IrEDS" type="xs:boolean" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="Darbinieki" nillable="true">
    <xs:simpleType>
        <xs:restriction base="xs:int">
            <xs:pattern value="[-]?\d{0,11}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="Lemums" nillable="true">
    <xs:simpleType>
        <xs:restriction base="xs:int">
            <xs:pattern value="[-]?\d{0,11}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="LemumaDatums" nillable="true" type="xs:dateTime" />
<xs:element minOccurs="0" maxOccurs="1" name="SlegBilance" nillable="true" type="xs:boolean" />
<xs:element minOccurs="0" maxOccurs="1" name="NoapalosanasPakape" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="IrSadalaNaudasPlusmasParskats" nillable="true" type="xs:boolean" />
<xs:element minOccurs="0" maxOccurs="1" name="IrSadalaKapitalaRezervJulzmainuParskats" nillable="true" type="xs:boolean" />
<xs:element minOccurs="0" maxOccurs="1" name="IrSadalaRevidents" nillable="true" type="xs:boolean" />
<xs:element minOccurs="0" maxOccurs="1" name="Bilance">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="BaBeigas">
                <xs:complexType>
                    <xs:all>
                        <xs:element minOccurs="0" maxOccurs="1" name="R10">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="[-]?\d{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R15">
                            <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R15LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R16">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R16LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R17">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R17LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R18">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R18LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R19">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R19LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R20">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R45">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R45LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R46">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R46LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R47">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R47LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R48">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R48LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R49">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R49LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R50">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R75">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R75LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R76">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R76LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R77">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R77LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R78">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R78LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R79">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R79LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R86">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R86LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R87">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R87LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R88">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R88LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R89">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R89LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R90">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R95">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R95LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R96">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R96LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R97">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R97LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R98">
    <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R98LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R99">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R99LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R105">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R105LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R106">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R106LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R107">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R107LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R108">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R108LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R109">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R109LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R110">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R136">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R136LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R137">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R137LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R138">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R138LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R139">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R139LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R140">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R165">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R165LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R166">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R166LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R167">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R167LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R168">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R168LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R169">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R169LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R170">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R181">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R182">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R198">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R198LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R199">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R199LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R225">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R225LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R226">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R226LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R227">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R227LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R228">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R228LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R229">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R229LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R230">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R340">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />

```

```

    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R365">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R365LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R366">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R366LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R367">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R367LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R368">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R368LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R369">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R369LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R370">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R378">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R378LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R379">
<xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R379LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R380">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BaSakums">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R10">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R15">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R15LietotajaDefinets" type="xs:string" />
    </xs:all>
    <xs:element minOccurs="0" maxOccurs="1" name="R16">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:all>
</xs:complexType>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R16LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R17">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R17LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R18">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R18LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R19">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R19LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R20">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R45">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R45LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R46">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R46LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R47">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R47LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R48">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R48LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R49">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R49LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R50">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R75">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R75LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R76">
<xs:simpleType>
<xs:restriction base="xs:long">

```

```

<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R76LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R77">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R77LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R78">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R78LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R79">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R79LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R80">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R86">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R86LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R87">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R87LietotajaDefinets" type="xs:string" />

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R88">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R88LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R89">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R89LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R95">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R95LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R96">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R96LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R97">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R97LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R98">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R98LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R99">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R99LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R100">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R105">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R105LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R106">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R106LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R107">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R107LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R108">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R108LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R109">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R109LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R110">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
    <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R136">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R136LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R137">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R137LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R138">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R138LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R139">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R139LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R140">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
<xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R165">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R165LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R166">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R166LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R167">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R167LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R168">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R168LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R169">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R169LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R170">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R181">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R182">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R198">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R198LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R199">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R199LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R200">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R225">
  <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R225LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R226">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R226LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R227">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R227LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R228">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R228LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R229">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R229LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R230">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R340">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R365">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R365LietotajaDefinets" type="xs:string" />

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R366">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R366LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R367">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R367LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R368">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R368LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R369">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R369LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R370">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R378">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R378LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R379">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R379LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R380">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BpBeigas">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?\d{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R30">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?\d{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R40">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?\d{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R50">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?\d{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R60">
                <xs:simpleType>
                    <xs:restriction base="xs:long">

```

```

<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R87">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R87LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R88">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R88LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R89">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R89LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R90">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R195">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R195LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R196">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R196LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R197">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R198">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R198LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R199">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R199LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R200">
    <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R235">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R235LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R236">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R236LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R237">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R237LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R238">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R238LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R239">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R239LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R240">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
<xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R261">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R269">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R269LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R380">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R418">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R418LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R419">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R419LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R420">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R421">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R425">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R425LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R426">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R426LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R427">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R427LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R428">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R428LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R429">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R429LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R440">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BpSakums">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R20">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R30">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R87">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R87LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R88">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R88LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R89">
  <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R89LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R195">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R195LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R196">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R196LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R197">
  <xs:simpleType>
    <xs:restriction base="xs:long">

```

```

<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R198">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R198LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R199">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R199LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R235">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R235LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R236">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R236LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R237">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R237LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R238">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R238LietotajaDefinets" type="xs:string" />

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R239">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R239LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R261">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R269">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R269LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
  <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R380">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R418">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R418LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R419">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R419LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R420">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R421">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R425">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R425LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R426">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R426LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R427">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R427LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R428">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R428LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R429">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />

```

```
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R429LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R440">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="PelnasZaudējumuAprekins">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="PzaBeigas">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="R10">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R20">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R41">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R42">
<xs:simpleType>
```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R51">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R52">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R53">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R54">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R81">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R82">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R83">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R84">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R86">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
<xs:simpleType>
<xs:restriction base="xs:long">
```

```

<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```
<xs:element minOccurs="0" maxOccurs="1" name="R320">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R322">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="PzaSakums">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R10">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R20">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R30">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R40">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R41">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R42">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>
```

```
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R51">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R52">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R53">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R54">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R81">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R82">
<xs:simpleType>
```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R83">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R84">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R86">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
<xs:simpleType>
<xs:restriction base="xs:long">

```

```

        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R322">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="NaudasPlusmasParskats">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="NppBeigas">
                <xs:complexType>
                    <xs:all>
                        <xs:element minOccurs="0" maxOccurs="1" name="R20">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R30">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R40">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R50">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R60">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R70">
                            <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R136">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R136LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R137">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R137LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R138">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R138LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R139">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R10">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R139LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R185">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R185LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R186">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R186LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R187">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R187LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R188">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R188LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R189">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R189LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R200">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R265">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R265LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R266">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R266LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R267">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R267LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R268">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R268LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R269">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R269LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R280">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="NppSakums">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="R20">

```

```
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R136">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R136LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R137">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R137LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R138">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R138LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R139">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R10">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R139LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R150">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R185">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R185LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R186">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R186LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R187">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R187LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R188">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R188LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R189">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R189LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R265">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R265LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R266">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R266LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R267">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R267LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R268">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R268LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R269">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R269LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="KapitalaRezervJulzmainuParskats">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="KripBeigas">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-]?\d{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-]?\d{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R30">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-]?\d{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R101">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R102">
<xs:simpleType>
```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R103">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R104">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R105">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R106">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R107">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R108">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
<xs:simpleType>
<xs:restriction base="xs:long">

```

```

<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R211">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R212">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R213">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R214">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R215">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R216">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R217">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R218">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```
<xs:element minOccurs="0" maxOccurs="1" name="R220">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R321">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R322">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R323">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R324">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R325">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R326">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R327">
```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R328">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R330">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R340">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R350">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R360">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R370">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R380">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R420">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R430">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R431">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R432">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R433">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R434">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R435">
<xs:simpleType>
```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R436">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R437">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R438">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R440">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R450">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R460">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R470">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R480">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R490">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R500">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R510">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R520">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R530">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R540">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R541">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R542">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R543">
<xs:simpleType>
<xs:restriction base="xs:long">
```

```

<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R544">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R545">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R546">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R547">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R548">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R550">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R560">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R570">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```
<xs:element minOccurs="0" maxOccurs="1" name="R580">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R590">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R600">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R610">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R620">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R630">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R640">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R650">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R651">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R652">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R653">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R654">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R655">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R656">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R657">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R658">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R660">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R670">
```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R680">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R690">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R700">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R710">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R720">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R730">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R740">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R750">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R760">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R761">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R762">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R763">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R764">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R765">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R766">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R767">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R768">
<xs:simpleType>
```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R770">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R780">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R790">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R800">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R810">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R820">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R830">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R840">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R850">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R860">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R870">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R871">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R872">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R873">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R874">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R875">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R876">
<xs:simpleType>
<xs:restriction base="xs:long">
```

```

<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R877">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R878">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R880">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R890">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R900">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R910">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R920">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R930">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```
<xs:element minOccurs="0" maxOccurs="1" name="R940">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R950">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R960">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R970">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R980">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R981">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R982">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R983">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R984">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R985">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R986">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R987">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R988">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R990">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="KripSakums">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-]?\d{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-]?\d{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R30">
                <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R101">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R102">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R103">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R104">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R105">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R106">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R107">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R108">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
<xs:simpleType>
<xs:restriction base="xs:long">
```

```

<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```
<xs:element minOccurs="0" maxOccurs="1" name="R210">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R211">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R212">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R213">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R214">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R215">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R216">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R217">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R218">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R321">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R322">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R323">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R324">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R325">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R326">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R327">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R328">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R330">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R340">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R350">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R360">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R370">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R380">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
<xs:simpleType>
```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R420">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R430">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R431">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R432">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R433">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R434">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R435">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R436">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R437">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R438">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R440">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R450">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R460">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R470">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R480">
<xs:simpleType>
<xs:restriction base="xs:long">
```

```

<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R490">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R500">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R510">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R520">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R530">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R540">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R541">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R542">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```
<xs:element minOccurs="0" maxOccurs="1" name="R543">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R544">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R545">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R546">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R547">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R548">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R550">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R560">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R570">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R580">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R590">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R600">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R610">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R620">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R630">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R640">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R650">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R651">
```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R652">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R653">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R654">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R655">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R656">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R657">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R658">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R660">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R670">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R680">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R690">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R700">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R710">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R720">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R730">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R740">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R750">
<xs:simpleType>
```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R760">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R761">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R762">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R763">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R764">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R765">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R766">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R767">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R768">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R770">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R780">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R790">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R800">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R810">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R820">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R830">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R840">
<xs:simpleType>
<xs:restriction base="xs:long">
```

```

<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R850">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R860">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R870">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R871">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R872">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R873">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R874">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R875">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```
<xs:element minOccurs="0" maxOccurs="1" name="R876">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R877">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R878">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R880">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R890">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R900">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R910">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R920">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R930">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R940">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R950">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R960">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R970">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R980">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R981">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R982">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R983">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R984">
```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-]?\d{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R985">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R986">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R987">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R988">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R990">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="Revidents">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="RevZinDat" nillable="true" type="xs:dateTime" />
      <xs:element minOccurs="0" maxOccurs="1" name="RevidentsJp" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="RevJpLicNr" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="RevFpSertNr" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="RevKoment" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="ZverinataRevidentaAtzinums">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />

```

```

<xs:element minOccurs="1" maxOccurs="1" name="Satur" type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="CitiDokumenti">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="VadibasZinojums">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
<xs:element minOccurs="1" maxOccurs="1" name="Satur" type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="Pielikums">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
<xs:element minOccurs="1" maxOccurs="1" name="Satur" type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="PazinojumsParVadibasAtbildibu">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
<xs:element minOccurs="1" maxOccurs="1" name="Satur" type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="SapulcesProtokolalzraksts">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
<xs:element minOccurs="1" maxOccurs="1" name="Satur" type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="AktuaraNovertejums">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />

```

```
<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
<xs:element minOccurs="1" maxOccurs="1" name="Saturs" type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="Citi">
<xs:complexType>
<xs:sequence>
<xs:element minOccurs="0" maxOccurs="unbounded" name="R" nillable="true">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="Apraksts" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Fails">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
<xs:element minOccurs="1" maxOccurs="1" name="Saturs" type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:schema>
```