

```

<?xml version="1.0"?>
<xs:schema attributeFormDefault="qualified"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="DokAPDRKGPv3" nillable="true">
    <xs:complexType>
      <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="Precizejums"
nillable="true" type="xs:boolean" />
        <xs:element minOccurs="0" maxOccurs="1" name="PrecizejamaisDokuments"
nillable="true">
          <xs:simpleType>
            <xs:restriction base="xs:long">
              <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
          </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="PrecizejumaPamatojums"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="Id" nillable="true">
          <xs:simpleType>
            <xs:restriction base="xs:long">
              <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
          </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="NmrKods"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="IesniegumaDati">
          <xs:complexType>
            <xs:all>
              <xs:element minOccurs="0" maxOccurs="1" name="IesniegumaDatums"
nillable="true" type="xs:date" />
              <xs:element minOccurs="0" maxOccurs="1" name="PakalpojumaKanals"
type="xs:string" />
              <xs:element minOccurs="0" maxOccurs="1" name="CitsLietotajs"
type="xs:boolean" />
              <xs:element minOccurs="0" maxOccurs="1" name="Parakstitaji">
                <xs:complexType>
                  <xs:sequence>
                    <xs:element minOccurs="0" maxOccurs="unbounded" name="R"
nillable="true">
                      <xs:complexType>
                        <xs:all>
                          <xs:element minOccurs="0" maxOccurs="1"
name="PersonasKods" type="xs:string" />
                          <xs:element minOccurs="0" maxOccurs="1"
name="VardsUzvards" type="xs:string" />
                          <xs:element minOccurs="0" maxOccurs="1"
name="Pamatojums" type="xs:string" />
                        </xs:all>
                      </xs:complexType>
                    </xs:element>
                  </xs:sequence>
                </xs:complexType>
              </xs:element>
              <xs:element minOccurs="0" maxOccurs="1" name="IesniegumaFaili">
                <xs:complexType>
                  <xs:sequence>
                    <xs:element minOccurs="0" maxOccurs="unbounded" name="R"
nillable="true">
                      <xs:complexType>
                        <xs:all>
                          <xs:element minOccurs="0" maxOccurs="1"

```

```

name="Komentars" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="Fails">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1"
name="UID" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1"
name="Nosaukums" type="xs:string" />
            <xs:element minOccurs="1" maxOccurs="1"
name="Saturis" type="xs:base64Binary" />
            <xs:element minOccurs="0" maxOccurs="1"
name="Hash" type="xs:string" />
          </xs:all>
          <xs:attribute name="IsAttachment"
type="xs:boolean" />
        </xs:complexType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="TaksNo" nillable="true"
type="xs:dateTime" />
  <xs:element minOccurs="0" maxOccurs="1" name="TaksLidz" nillable="true"
type="xs:dateTime" />
  <xs:element minOccurs="0" maxOccurs="1" name="Epasts"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="Talrunis" type="xs:string"
/>
  <xs:element minOccurs="0" maxOccurs="1" name="Sagatavotajs"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="IesniegtsGadaParskats">
    <xs:complexType>
      <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="Id" type="xs:string"
/>
        <xs:element minOccurs="0" maxOccurs="1" name="IesniegsanasDatums"
nillable="true" type="xs:dateTime" />
        <xs:element minOccurs="0" maxOccurs="1" name="IrEDS"
type="xs:boolean" />
      </xs:all>
    </xs:complexType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="Darbinieki"
nillable="true">
    <xs:simpleType>
      <xs:restriction base="xs:int">
        <xs:pattern value="[\\-+]?[\\d\\.]{0,11}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="SlegBilance"
nillable="true" type="xs:boolean" />
  <xs:element minOccurs="0" maxOccurs="1" name="Noapalosanaspakape"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="Bilance">
    <xs:complexType>
      <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="BaBeigas">

```

```

<xs:complexType>
  <xs:all>
    <xs:element minOccurs="0" maxOccurs="1" name="R10">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R15">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R15LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R16">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R16LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R17">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R17LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R18">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R18LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R19">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R19LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R20">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R30">
      <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R45">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R45LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R46">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R46LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R47">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R47LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R48">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R48LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R49">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R49LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R50">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">

```

```

        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R70">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R75">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R75LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R76">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R76LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R77">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R77LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R78">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R78LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R79">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R79LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R80">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R85LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R86">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R86LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R87">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R87LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R88">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R88LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R89">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R89LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R95">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R95LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R96">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R96LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R97">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R97LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R98">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R98LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R99">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R99LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R100">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R105">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R105LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R106">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R106LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R107">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>

```

```

        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R107LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R108">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R108LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R109">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R109LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R110">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R120">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R130">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R135">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R135LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R136">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R136LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R137">
        <xs:simpleType>
          <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R137LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R138">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R138LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R139">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R139LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R140">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R165">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R165LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R166">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R166LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R167">

```

```

        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R167LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R168">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R168LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R169">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R169LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R180">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R181">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R182">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R190">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R197">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R197LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R198">

```

```

        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R198LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R199">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R199LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R200">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R170">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R225">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R225LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R226">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R226LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R227">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R227LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R228">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>

```

```

        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R228LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R229">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R229LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R230">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R340">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R365">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R365LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R366">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R366LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R367">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R367LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R368">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R368LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R369">
        <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R369LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R370">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R378">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R378LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R379">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R379LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R380">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BaSakums">

```

```

<xs:complexType>
  <xs:all>
    <xs:element minOccurs="0" maxOccurs="1" name="R10">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R15">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R15LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R16">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R16LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R17">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R17LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R18">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R18LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R19">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R19LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R20">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R30">
      <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R45">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R45LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R46">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R46LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R47">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R47LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R48">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R48LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R49">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R49LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R50">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="\-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R75">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R75LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R76">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R76LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R77">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R77LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R78">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R78LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R79">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R79LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R85LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R86">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R86LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R87">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R87LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R88">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R88LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R89">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R89LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R95">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R95LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R96">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R96LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R97">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R97LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R98">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R98LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R99">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R99LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R100">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R105">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R105LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R106">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R106LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R107">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>

```

```

        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R107LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R108">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R108LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R109">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R109LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R110">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R120">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R130">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R135">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R135LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R136">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R136LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R137">
        <xs:simpleType>
          <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R137LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R138">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R138LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R139">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R139LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R140">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R165">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R165LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R166">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R166LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R167">

```

```

        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R167LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R168">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R168LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R169">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R169LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R180">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R181">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R182">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R190">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R197">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R197LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R198">

```

```

        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R198LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R199">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R199LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R200">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R170">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R225">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R225LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R226">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R226LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R227">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R227LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R228">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>

```

```

        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R228LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R229">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R229LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R230">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R340">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R365">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R365LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R366">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R366LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R367">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R367LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R368">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R368LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R369">
        <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R369LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R370">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R378">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R378LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R379">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R379LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R380">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BpBeigas">

```

```

<xs:complexType>
  <xs:all>
    <xs:element minOccurs="0" maxOccurs="1" name="R20">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R30">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R40">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R50">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R60">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R70">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R80">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R87">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R87LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R88">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />

```

```

        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R88LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R89">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R89LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R90">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R120">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R130">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R140">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R150">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R195">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R195LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R196">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>

```

```

        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R196LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R197">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R197LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R198">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R198LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R199">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R199LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R200">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R235">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R235LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R236">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R236LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R237">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R237LietotajaDefinets" type="xs:string" />

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R238">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R238LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R239">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R239LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R261">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R269">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R269LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R380">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R418">
    <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R418LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R419">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R419LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R420">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R421">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R425">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R425LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R426">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R426LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R427">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R427LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R428">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"

```

```

name="R428LietotajaDefinets" type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R429">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1"
name="R429LietotajaDefinets" type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R440">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BpSakums">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R20">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R30">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R40">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R50">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R60">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R70">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R87">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R87LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R88">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R88LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R89">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R89LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">

```

```

        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R195">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R195LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R196">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R196LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R197">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R197LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R198">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R198LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R199">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R199LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R200">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R235">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>

```

```

        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R235LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R236">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R236LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R237">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R237LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R238">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R238LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R239">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R239LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R240">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R250">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R260">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R261">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />

```

```

        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R269">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R269LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R270">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R280">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R290">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R300">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R310">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R320">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R380">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R390">
      <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R418">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R418LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R419">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R419LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R420">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R421">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R425">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R425LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R426">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>

```

```

        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R426LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R427">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R427LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R428">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R428LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R429">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R429LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R440">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="PelnasZaudejumuAprekins">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="PzaBeigas">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R30">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R41">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R42">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R51">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R52">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R53">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R54">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="\-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R81">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R82">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R83">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R84">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R86">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
    <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R322">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="PzaSakums">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R30">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R40">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R41">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
        </xs:all>
    </xs:complexType>
</xs:element>

```

```

    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R42">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R50">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R51">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R52">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R53">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R54">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R60">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R80">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R81">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R82">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R83">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R84">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R86">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R200">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R322">

```

```

        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="NaudasPlusmasParskats">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="NppBeigas">
                <xs:complexType>
                    <xs:all>
                        <xs:element minOccurs="0" maxOccurs="1" name="R20">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R30">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R40">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R50">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R60">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R70">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0" maxOccurs="1" name="R80">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                    </xs:all>
                </xs:complexType>
            </xs:element>
        </xs:all>
    </xs:complexType>
</xs:element>

```

```

        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R90">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R100">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R110">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R120">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R130">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R135">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R135LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R136">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R136LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R137">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"

```

```

name="R137LietotajaDefinets" type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R138">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1"
name="R138LietotajaDefinets" type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R139">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R10">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1"
name="R139LietotajaDefinets" type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R160">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R170">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R180">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R185">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1"
name="R185LietotajaDefinets" type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R186">

```

```

        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R186LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R187">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R187LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R188">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R188LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R189">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R140">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R189LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R200">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R210">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R220">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R230">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="\-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R265">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R265LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R266">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R266LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R267">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R267LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R268">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R268LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R269">

```

```

        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R190">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[d\.\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R269LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R280">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[d\.\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R290">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[d\.\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R270">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[d\.\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R300">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[d\.\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="NppSakums">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R20">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R30">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R40">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="\-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R135LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R136">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R136LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R137">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R137LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R138">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R138LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R139">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R139LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R10">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R10LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R150LietotajaDefinets" type="xs:string" />

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R160">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R185">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
name="R185LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R186">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
name="R186LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R187">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
name="R187LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R188">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
name="R188LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R189">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R140">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R189LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R200">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R265">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R265LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R266">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R266LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R267">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R267LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R268">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R268LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R269">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R190">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R269LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R280">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R290">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R270">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[\d\.]{0,20}" />

```

```

        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R300">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="KapitalaRezervjuIzmainuParskats">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="KripBeigas">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?[d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?[d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R30">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?[d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R40">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?[d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R50">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?[d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R60">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?[d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R101">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R102">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R103">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R104">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R105">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R106">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R107">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R108">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="\-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R211">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R212">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R213">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R214">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R215">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R216">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R217">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R218">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
    <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R321">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R322">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R323">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R324">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R325">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R326">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R327">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R328">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R330">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R340">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R350">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R360">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R370">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R380">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R390">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R400">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R410">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R420">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R430">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R431">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R432">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R433">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R434">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R435">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R436">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R437">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R438">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R440">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R450">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R460">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R470">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R480">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R490">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R500">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R510">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R520">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R530">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R540">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R541">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R542">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R543">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="\-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R544">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R545">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R546">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R547">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R548">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R550">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R560">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R570">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R580">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R590">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R600">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R610">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R620">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R630">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R640">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R650">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R651">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R652">
    <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R653">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R654">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R655">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R656">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R657">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R658">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R660">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R670">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R680">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R690">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R700">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R710">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R720">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R730">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R740">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R750">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R760">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R761">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R762">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R763">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R764">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R765">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R766">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R767">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R768">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R770">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R780">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R790">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R800">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R810">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R820">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R830">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R840">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R850">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R860">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R870">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R871">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R872">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R873">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R874">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R875">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R876">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R877">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R878">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R880">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R890">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="\-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R900">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R910">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R920">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R930">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R940">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R950">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R960">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R970">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R980">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R981">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R982">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R983">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R984">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R985">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R986">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R987">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R988">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R990">
    <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="KripSakums">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R30">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R40">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R50">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R60">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R70">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R80">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
        </xs:all>
    </xs:complexType>
</xs:element>

```

```

    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R90">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R100">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R101">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R102">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R103">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R104">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R105">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R106">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R107">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R108">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R211">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R212">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R213">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R214">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R215">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R216">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R217">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="\-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R218">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R321">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R322">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R323">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R324">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R325">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R326">
    <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R327">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R328">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R330">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R340">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R350">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R360">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R370">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R380">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R420">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R430">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R431">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R432">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R433">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R434">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R435">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R436">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R437">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R438">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R440">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R450">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R460">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R470">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R480">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R490">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R500">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R510">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R520">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R530">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R540">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R541">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R542">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R543">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R544">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R545">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R546">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R547">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R548">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R550">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R560">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R570">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R580">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R590">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R600">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="\-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R610">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R620">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R630">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R640">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R650">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R651">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R652">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R653">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R654">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R655">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R656">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R657">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R658">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R660">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R670">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R680">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R690">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R700">
    <xs:simpleType>
        <xs:restriction base="xs:long">

```

```

        <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R710">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R720">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R730">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R740">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R750">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R760">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R761">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R762">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R763">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R764">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R765">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R766">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R767">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R768">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R770">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R780">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R790">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R800">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>

```

```

    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R810">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R820">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R830">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R840">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R850">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R860">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R870">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R871">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R872">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="\-+]?[d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R873">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R874">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R875">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R876">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R877">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R878">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R880">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R890">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R900">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R910">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R920">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R930">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R940">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R950">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R960">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R970">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R980">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R981">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R982">

```

```

        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R983">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R984">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R985">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R986">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R987">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R988">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R990">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="Revidents">
  <xs:complexType>
    <xs:all>

```

```

        <xs:element minOccurs="0" maxOccurs="1" name="RevZinDat"
nillable="true" type="xs:dateTime" />
        <xs:element minOccurs="0" maxOccurs="1" name="RevidentsJp"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="RevJpLicNr"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="RevFpSertNr"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="RevKoment"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1"
name="ZverinataRevidentaAtzinums">
        <xs:complexType>
        <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="UID"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums"
type="xs:string" />
        <xs:element minOccurs="1" maxOccurs="1" name="Saturis"
type="xs:base64Binary" />
        <xs:element minOccurs="0" maxOccurs="1" name="Hash"
type="xs:string" />
        </xs:all>
        <xs:attribute name="IsAttachment" type="xs:boolean" />
        </xs:complexType>
        </xs:element>
        </xs:all>
        </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="CitiDokumenti">
        <xs:complexType>
        <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="VadibasZinojums">
        <xs:complexType>
        <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="UID"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums"
type="xs:string" />
        <xs:element minOccurs="1" maxOccurs="1" name="Saturis"
type="xs:base64Binary" />
        <xs:element minOccurs="0" maxOccurs="1" name="Hash"
type="xs:string" />
        </xs:all>
        <xs:attribute name="IsAttachment" type="xs:boolean" />
        </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="Pielikums">
        <xs:complexType>
        <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="UID"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums"
type="xs:string" />
        <xs:element minOccurs="1" maxOccurs="1" name="Saturis"
type="xs:base64Binary" />
        <xs:element minOccurs="0" maxOccurs="1" name="Hash"
type="xs:string" />
        </xs:all>
        <xs:attribute name="IsAttachment" type="xs:boolean" />
        </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="PazinojumsParVadibasAtbildibu">

```

```

        <xs:complexType>
            <xs:all>
                <xs:element minOccurs="0" maxOccurs="1" name="UID"
type="xs:string" />
                <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums"
type="xs:string" />
                <xs:element minOccurs="1" maxOccurs="1" name="Satur"
type="xs:base64Binary" />
                <xs:element minOccurs="0" maxOccurs="1" name="Hash"
type="xs:string" />
            </xs:all>
            <xs:attribute name="IsAttachment" type="xs:boolean" />
        </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="SapulcesProtokolaIzraksts">
        <xs:complexType>
            <xs:all>
                <xs:element minOccurs="0" maxOccurs="1" name="UID"
type="xs:string" />
                <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums"
type="xs:string" />
                <xs:element minOccurs="1" maxOccurs="1" name="Satur"
type="xs:base64Binary" />
                <xs:element minOccurs="0" maxOccurs="1" name="Hash"
type="xs:string" />
            </xs:all>
            <xs:attribute name="IsAttachment" type="xs:boolean" />
        </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="AktuaraNovertejums">
        <xs:complexType>
            <xs:all>
                <xs:element minOccurs="0" maxOccurs="1" name="UID"
type="xs:string" />
                <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums"
type="xs:string" />
                <xs:element minOccurs="1" maxOccurs="1" name="Satur"
type="xs:base64Binary" />
                <xs:element minOccurs="0" maxOccurs="1" name="Hash"
type="xs:string" />
            </xs:all>
            <xs:attribute name="IsAttachment" type="xs:boolean" />
        </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="Citi">
        <xs:complexType>
            <xs:sequence>
                <xs:element minOccurs="0" maxOccurs="unbounded" name="R"
nillable="true">
                    <xs:complexType>
                        <xs:all>
                            <xs:element minOccurs="0" maxOccurs="1"
name="Apraksts" type="xs:string" />
                            <xs:element minOccurs="0" maxOccurs="1" name="Fails">
                                <xs:complexType>
                                    <xs:all>
                                        <xs:element minOccurs="0" maxOccurs="1"
name="UID" type="xs:string" />
                                        <xs:element minOccurs="0" maxOccurs="1"
name="Nosaukums" type="xs:string" />
                                        <xs:element minOccurs="1" maxOccurs="1"
name="Satur" type="xs:base64Binary" />
                                        <xs:element minOccurs="0" maxOccurs="1"

```

```

name="Hash" type="xs:string" />
                                </xs:all>
                                <xs:attribute name="IsAttachment"
type="xs:boolean" />
                                </xs:complexType>
                                </xs:element>
                                </xs:all>
                                </xs:complexType>
                                </xs:element>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                </xs:all>
                                </xs:complexType>
                                </xs:element>
                                </xs:all>
                                </xs:complexType>
                                </xs:element>
</xs:schema>

```