

```

<?xml version="1.0"?>
<xs:schema attributeFormDefault="qualified"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="DokROGPv3" nillable="true">
    <xs:complexType>
      <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="Precizejums"
nillable="true" type="xs:boolean" />
        <xs:element minOccurs="0" maxOccurs="1" name="PrecizejamaisDokuments"
nillable="true">
          <xs:simpleType>
            <xs:restriction base="xs:long">
              <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
          </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="PrecizejumaPamatojums"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="Id" nillable="true">
          <xs:simpleType>
            <xs:restriction base="xs:long">
              <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
          </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="NmrKods"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="IesniegumaDati">
          <xs:complexType>
            <xs:all>
              <xs:element minOccurs="0" maxOccurs="1" name="IesniegumaDatums"
nillable="true" type="xs:date" />
              <xs:element minOccurs="0" maxOccurs="1" name="PakalpojumaKanals"
type="xs:string" />
              <xs:element minOccurs="0" maxOccurs="1" name="CitsLietotajs"
type="xs:boolean" />
              <xs:element minOccurs="0" maxOccurs="1" name="Parakstitaji">
                <xs:complexType>
                  <xs:sequence>
                    <xs:element minOccurs="0" maxOccurs="unbounded" name="R"
nillable="true">
                      <xs:complexType>
                        <xs:all>
                          <xs:element minOccurs="0" maxOccurs="1"
name="PersonasKods" type="xs:string" />
                          <xs:element minOccurs="0" maxOccurs="1"
name="VardsUzvards" type="xs:string" />
                          <xs:element minOccurs="0" maxOccurs="1"
name="Pamatojums" type="xs:string" />
                        </xs:all>
                      </xs:complexType>
                    </xs:element>
                  </xs:sequence>
                </xs:complexType>
              </xs:element>
              <xs:element minOccurs="0" maxOccurs="1" name="IesniegumaFaili">
                <xs:complexType>
                  <xs:sequence>
                    <xs:element minOccurs="0" maxOccurs="unbounded" name="R"
nillable="true">
                      <xs:complexType>
                        <xs:all>
                          <xs:element minOccurs="0" maxOccurs="1"

```

```

name="Komentars" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="Fails">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1"
name="UID" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1"
name="Nosaukums" type="xs:string" />
            <xs:element minOccurs="1" maxOccurs="1"
name="Satars" type="xs:base64Binary" />
            <xs:element minOccurs="0" maxOccurs="1"
name="Hash" type="xs:string" />
          </xs:all>
          <xs:attribute name="IsAttachment"
type="xs:boolean" />
        </xs:complexType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="TaksNo" nillable="true"
type="xs:dateTime" />
  <xs:element minOccurs="0" maxOccurs="1" name="TaksLidz" nillable="true"
type="xs:dateTime" />
  <xs:element minOccurs="0" maxOccurs="1" name="Epasts"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="Talrunis" type="xs:string"
/>
  <xs:element minOccurs="0" maxOccurs="1" name="Sagatavotajs"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="IesniegtsGadaParskats">
    <xs:complexType>
      <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="Id" type="xs:string"
/>
        <xs:element minOccurs="0" maxOccurs="1" name="IesniegsanasDatums"
nillable="true" type="xs:dateTime" />
        <xs:element minOccurs="0" maxOccurs="1" name="IrEDS"
type="xs:boolean" />
      </xs:all>
    </xs:complexType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="Darbinieki"
nillable="true">
    <xs:simpleType>
      <xs:restriction base="xs:int">
        <xs:pattern value="[\-+]?[\d\.]{0,11}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="SlegBilance"
nillable="true" type="xs:boolean" />
  <xs:element minOccurs="0" maxOccurs="1" name="IrSadalaBilance"
nillable="true" type="xs:boolean" />
  <xs:element minOccurs="0" maxOccurs="1"
name="IrSadalaZiedotajiDavinataji" nillable="true" type="xs:boolean" />
  <xs:element minOccurs="0" maxOccurs="1" name="IrSadalaRevidents"
nillable="true" type="xs:boolean" />

```

```

    <xs:element minOccurs="0" maxOccurs="1"
name="IrSadalaZiedojuDavinajumuIzlietojums" nillable="true"
type="xs:boolean" />
    <xs:element minOccurs="0" maxOccurs="1" name="Balance">
    <xs:complexType>
    <xs:all>
    <xs:element minOccurs="0" maxOccurs="1" name="BaSakums">
    <xs:complexType>
    <xs:all>
    <xs:element minOccurs="0" maxOccurs="1" name="R10">
    <xs:simpleType>
    <xs:restriction base="xs:long">
    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
    </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R20">
    <xs:simpleType>
    <xs:restriction base="xs:long">
    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
    </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R30">
    <xs:simpleType>
    <xs:restriction base="xs:long">
    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
    </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R30Apaksposteni">
    <xs:complexType>
    <xs:all>
    <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
    <xs:simpleType>
    <xs:restriction base="xs:long">
    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
    </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
    <xs:simpleType>
    <xs:restriction base="xs:long">
    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
    </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
    <xs:simpleType>
    <xs:restriction base="xs:long">
    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
    </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />

```

```

        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R40Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R50Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R60Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
        </xs:all>
    </xs:complexType>
</xs:element>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R70Apakposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R120Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R130Apaksposteni">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
          </xs:all>
        </xs:complexType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R140">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R140Apaksposteni">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">

```

```

        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BaBeigas">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
        </xs:all>
    </xs:complexType>
</xs:element>

```

```

        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R20">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R30">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1"
name="R30Apaksposteni">
    <xs:complexType>
      <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
          <xs:simpleType>
            <xs:restriction base="xs:long">
              <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
          </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
          <xs:simpleType>
            <xs:restriction base="xs:long">
              <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
          </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
          <xs:simpleType>
            <xs:restriction base="xs:long">
              <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
          </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
      </xs:all>
    </xs:complexType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="R40">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1"
name="R40Apaksposteni">
    <xs:complexType>

```



```

name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[d\.] {0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R60Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[d\.] {0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[d\.] {0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[d\.] {0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>

```

```

        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R70Apaksposteni">
        <xs:complexType>
        <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
        <xs:restriction base="xs:long">
        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
        </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
        </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
</xs:restriction>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R120">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R120Apaksposteni">
        <xs:complexType>
            <xs:all>
                <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                    <xs:simpleType>
                        <xs:restriction base="xs:long">
                            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                        </xs:restriction>
                    </xs:simpleType>
                </xs:element>
                <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
                <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                    <xs:simpleType>
                        <xs:restriction base="xs:long">
                            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                        </xs:restriction>
                    </xs:simpleType>
                </xs:element>
                <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
                <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                    <xs:simpleType>
                        <xs:restriction base="xs:long">
                            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                        </xs:restriction>
                    </xs:simpleType>
                </xs:element>
                <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
            </xs:all>
        </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R130">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R130Apaksposteni">
        <xs:complexType>
            <xs:all>
                <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                    <xs:simpleType>
                        <xs:restriction base="xs:long">
                            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                        </xs:restriction>
                    </xs:simpleType>
                </xs:element>
            </xs:all>
        </xs:complexType>
    </xs:element>

```

```

        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R140Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
        </xs:all>
    </xs:complexType>
</xs:element>

```

```

        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BpSakums">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R10Apaksposteni">
                <xs:complexType>
                    <xs:all>
                        <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                            <xs:simpleType>
                                <xs:restriction base="xs:long">
                                    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:all>
                    </xs:complexType>
                </xs:element>
            </xs:all>
        </xs:complexType>
    </xs:element>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R20">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R20Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
        </xs:all>
    </xs:complexType>
</xs:element>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R30Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R40Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">

```



```

        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R60Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R70Apaksposteni">

```

```

<xs:complexType>
  <xs:all>
    <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
  </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R80Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

        <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R90Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R100Apaksposteni">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
          </xs:all>
        </xs:complexType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R110">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R110Apaksposteni">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">

```

```

        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R120Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">

```

```

        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R130Apaksposteni">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
          </xs:all>
        </xs:complexType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R140">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R140Apaksposteni">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />

```

```

nillable="true">
    <xs:element minOccurs="0" maxOccurs="1" name="R2"
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R150Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />

```

```

        </xs:all>
      </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R160">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BpBeigas">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R10">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R10Apaksposteni">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
          </xs:all>
        </xs:complexType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R20">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R20Apaksposteni">
      <xs:complexType>
        <xs:all>
          <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
            <xs:simpleType>
              <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
          <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
            <xs:simpleType>
              <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
          <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
            <xs:simpleType>
              <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
      </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R30">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R30Apaksposteni">
      <xs:complexType>
        <xs:all>
          <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
            <xs:simpleType>
              <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
              </xs:restriction>
            </xs:simpleType>
          </xs:element>
          <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
          <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
            <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
  </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R40Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

        <xs:element minOccurs="0" maxOccurs="1" name="R50">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R50Apakposteni">
            <xs:complexType>
                <xs:all>
                    <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                        <xs:simpleType>
                            <xs:restriction base="xs:long">
                                <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
                    <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                        <xs:simpleType>
                            <xs:restriction base="xs:long">
                                <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
                    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                        <xs:simpleType>
                            <xs:restriction base="xs:long">
                                <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
                </xs:all>
            </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R60">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="R60Apakposteni">
            <xs:complexType>
                <xs:all>
                    <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                        <xs:simpleType>
                            <xs:restriction base="xs:long">
                                <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
                    <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                        <xs:simpleType>
                            <xs:restriction base="xs:long">
                                <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
                    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                        <xs:simpleType>
                            <xs:restriction base="xs:long">
                                <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
                </xs:all>
            </xs:complexType>
        </xs:element>
    </xs:all>
</xs:complexType>
</xs:element>

```



```

name="R3LietotajaDefinets" type="xs:string" />
  </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R80Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R90Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>

```

```

        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
  </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R100Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R110Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R120Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"

```

```

nillable="true">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R1LietotajaDefinets" type="xs:string" />
nillable="true">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R2LietotajaDefinets" type="xs:string" />
nillable="true">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R130Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"

```

```

nillable="true">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R140Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"

```

```

name="R150Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
name="R1LietotajaDefinets" type="xs:string" />
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R2"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="IenemumiIzdevumi">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="IipSakums">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
              <xs:simpleType>

```

```

        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R30">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R40">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R50">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R60">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R70">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R80">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R90">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R90Apakposteni">
      <xs:complexType>
        <xs:all>
          <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
            <xs:simpleType>
              <xs:restriction base="xs:long">
                <xs:pattern value="\-+]?[\d\.]{0,20}" />
              </xs:restriction>
            </xs:simpleType>
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R100Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
        </xs:all>
    </xs:complexType>
</xs:element>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R110Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R120Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">

```



```

        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R140Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R150Apaksposteni">

```

```

<xs:complexType>
  <xs:all>
    <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
  </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>

```

```

</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="IipBeigas">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R10">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R20">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R30">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R40">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R50">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R60">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R70">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R80">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R90">
        <xs:simpleType>
          <xs:restriction base="xs:long">

```



```

        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[\-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
name="R110Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[\-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R120Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R130Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>

```

```

name="R1LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
name="R2LietotajaDefinets" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
name="R3LietotajaDefinets" type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
name="R140Apaksposteni">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

        <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
    </xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="R150Apaksposteni">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R1"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R1LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R2"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R2LietotajaDefinets" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R3"
nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1"
name="R3LietotajaDefinets" type="xs:string" />
        </xs:all>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">

```

```

        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R200">
      <xs:simpleType>
        <xs:restriction base="xs:long">
          <xs:pattern value="\-+]?[\d\.]{0,20}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="ZiedojuMiDavinajumi">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="ZdpSakums">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R30">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R40">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R50">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R60">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="\-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.] {0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R330">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
<xs:element minOccurs="0" maxOccurs="1" name="R340">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R350">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R360">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R370">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R380">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R420">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R430">
```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[d\.] {0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R440">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R450">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R460">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R470">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R480">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R490">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[d\.] {0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="ZdpBeigas">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="R10">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[d\.] {0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R20">
        <xs:simpleType>
          <xs:restriction base="xs:long">

```

```

        <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[\\-+]?[\\d\\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\\d\\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R310">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R330">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R340">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R350">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R360">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R370">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R380">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

```
<xs:element minOccurs="0" maxOccurs="1" name="R390">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R410">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R420">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R430">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R440">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R450">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R460">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R470">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="\-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R480">
```

```

        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="R490">
        <xs:simpleType>
          <xs:restriction base="xs:long">
            <xs:pattern value="\-+]?[\d\.]{0,20}" />
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="Zd">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="R"
nillable="true">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="Tips"
type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="NmrKods"
type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="ArvalNr"
type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Nosauk"
type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Valsts"
type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="ArvalAdr"
type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Nsum"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:double">
                  <xs:pattern value="\-+]?[\d\.]{0,21}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="Msum"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:double">
                  <xs:pattern value="\-+]?[\d\.]{0,21}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="Merk"
type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Koment"
type="xs:string" />
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="Revidents">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="RevZinDat"
nillable="true" type="xs:dateTime" />
      <xs:element minOccurs="0" maxOccurs="1" name="RevidentsJp"
type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="RevJpLicNr"
type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="RevFpSertNr"
type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="RevKoment"
type="xs:string" />
    </xs:all>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="DIIZD">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="R"
nillable="true">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="Npk"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:int">
                  <xs:pattern value="[\\-+]?[\\d\\.]{0,11}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="Apraksts"
type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Izlietojums"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:decimal">
                  <xs:pattern value="[\\-+]?[\\d\\.]{0,21}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="Visparejie"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:decimal">
                  <xs:pattern value="[\\-+]?[\\d\\.]{0,21}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="Merka"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:decimal">
                  <xs:pattern value="[\\-+]?[\\d\\.]{0,21}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="Anonimi"
nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:decimal">
                  <xs:pattern value="[\\-+]?[\\d\\.]{0,21}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

```

</xs:element>
nillable="true">
  <xs:element minOccurs="0" maxOccurs="1" name="SL"
    <xs:simpleType>
      <xs:restriction base="xs:decimal">
        <xs:pattern value="\-+]?[d\.]{0,21}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
nillable="true">
  <xs:element minOccurs="0" maxOccurs="1" name="AI"
    <xs:simpleType>
      <xs:restriction base="xs:decimal">
        <xs:pattern value="\-+]?[d\.]{0,21}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
nillable="true">
  <xs:element minOccurs="0" maxOccurs="1" name="SD"
    <xs:simpleType>
      <xs:restriction base="xs:decimal">
        <xs:pattern value="\-+]?[d\.]{0,21}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
nillable="true">
  <xs:element minOccurs="0" maxOccurs="1" name="SC"
    <xs:simpleType>
      <xs:restriction base="xs:decimal">
        <xs:pattern value="\-+]?[d\.]{0,21}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="Joma"
    <xs:element minOccurs="0" maxOccurs="1" name="JomaLoad">
      <xs:complexType>
        <xs:sequence>
          <xs:element minOccurs="0" maxOccurs="unbounded"
            name="JomaLoad" nillable="true">
            <xs:complexType>
              <xs:all>
                <xs:element minOccurs="0" maxOccurs="1"
                  name="Kods" type="xs:string" />
              </xs:all>
            </xs:complexType>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="MerkaGr"
    <xs:element minOccurs="0" maxOccurs="1" name="MerkaGrLoad">
      <xs:complexType>
        <xs:sequence>
          <xs:element minOccurs="0" maxOccurs="unbounded"
            name="MerkaGrupaLoad" nillable="true">
            <xs:complexType>
              <xs:all>
                <xs:element minOccurs="0" maxOccurs="1"
                  name="Kods" type="xs:string" />
              </xs:all>
            </xs:complexType>
          </xs:sequence>
        </xs:complexType>
      </xs:element>

```

```

        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="Skaitis"
nillable="true">
      <xs:simpleType>
        <xs:restriction base="xs:int">
          <xs:pattern value="[\\-+]?[\\d\\.]{0,11}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="Objekts"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="Teritorija"
type="xs:string" />
  </xs:all>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="VadibasZinojums">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="GramatvezaVards"
type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="GramatvezaUzvards"
type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1"
name="SanemtieNaudasMaksajumi">
        <xs:complexType>
          <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="unbounded"
name="SanemtsNaudasMaksajums" nillable="true">
              <xs:complexType>
                <xs:all>
                  <xs:element minOccurs="0" maxOccurs="1" name="Valsts"
type="xs:string" />
                  <xs:element minOccurs="0" maxOccurs="1"
name="RegistracijasNumurs" type="xs:string" />
                  <xs:element minOccurs="0" maxOccurs="1"
name="Nosaukums" type="xs:string" />
                  <xs:element minOccurs="0" maxOccurs="1" name="Summa"
nillable="true">
                    <xs:simpleType>
                      <xs:restriction base="xs:decimal">
                        <xs:pattern value="[\\-+]?[\\d\\.]{0,21}" />
                      </xs:restriction>
                    </xs:simpleType>
                  </xs:element>
                </xs:all>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="CitaInformacija"
type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1"
name="VisNekustamoIpasumuGrupas">
        <xs:complexType>
          <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="unbounded"
name="NekustamaIpasumaGrupa" nillable="true">

```

```

        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1"
name="VeidaNosaukums" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1"
name="SakotnejaVertiba" nillable="true">
              <xs:simpleType>
                <xs:restriction base="xs:decimal">
                  <xs:pattern value="[\-+]?[\d\.]{0,21}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="VisCitaInformacija"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="SloDarbibasMerkis"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="SloDarbibasJomas">
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="unbounded"
name="SloDarbibasJoma" nillable="true">
          <xs:complexType>
            <xs:all>
              <xs:element minOccurs="0" maxOccurs="1" name="Kods"
type="xs:string" />
            </xs:all>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="SloMerkaGrupas">
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="unbounded"
name="SloMerkaGrupa" nillable="true">
          <xs:complexType>
            <xs:all>
              <xs:element minOccurs="0" maxOccurs="1" name="Kods"
type="xs:string" />
              <xs:element minOccurs="0" maxOccurs="1" name="Cita"
type="xs:string" />
            </xs:all>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1"
name="SloMerkaGrupuProjektiPasakumiUnAktivitates" type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1"
name="SloRezultatiUnSasniegumi" type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1"
name="SloDarbibuVeicinosieFaktori" type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1"
name="SloDarbibuKavejosieFaktori" type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1"
name="SloIlgterminaIesaktieProjektiPasakumiAktivitates" type="xs:string" />

```

```

        <xs:element minOccurs="0" maxOccurs="1"
name="SloIlgterminaPlanotieProjektiPasakumiAktivitates" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1"
name="SloIsterminaIesaktieProjektiPasakumiAktivitates" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1"
name="SloIsterminaPlanotieProjektiPasakumiAktivitates" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1"
name="SloSanemtoZiedojuKopsumma" nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:decimal">
                    <xs:pattern value="\-+]?[\d\.]{0,21}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="SloIzlietotoZiedojuKopsumma" nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:decimal">
                    <xs:pattern value="\-+]?[\d\.]{0,21}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="SloZiedojuIzlietojums" nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:decimal">
                    <xs:pattern value="\-+]?[\d\.]{0,21}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1"
name="SloZiedojuIzlietojumsAdministrativajiemIzdevumiem" nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:decimal">
                    <xs:pattern value="\-+]?[\d\.]{0,21}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="SloFiziskasPersonas"
nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:int">
                    <xs:pattern value="\-+]?[\d\.]{0,11}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="SloObjektuSkaitis"
nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:int">
                    <xs:pattern value="\-+]?[\d\.]{0,11}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="SloObjektuPiezimes"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="SloTeritorija">
            <xs:complexType>
                <xs:sequence>
                    <xs:element minOccurs="0" maxOccurs="unbounded"
name="SloTeritorija" nillable="true">
                        <xs:complexType>
                            <xs:all>
                                <xs:element minOccurs="0" maxOccurs="1"

```

```

name="Teritorija" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="Skaitis"
nillable="true">
        <xs:simpleType>
            <xs:restriction base="xs:int">
                <xs:pattern value="[-+]?[\d\.]{0,11}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1"
name="Piezimes" type="xs:string" />
    </xs:all>
    </xs:complexType>
    </xs:element>
    </xs:sequence>
    </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="SloCitaInformacija"
type="xs:string" />
    </xs:all>
    </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="CitiDokumenti">
        <xs:complexType>
            <xs:all>
                <xs:element minOccurs="0" maxOccurs="1" name="Pielikums">
                    <xs:complexType>
                        <xs:all>
                            <xs:element minOccurs="0" maxOccurs="1" name="UID"
type="xs:string" />
                            <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums"
type="xs:string" />
                            <xs:element minOccurs="1" maxOccurs="1" name="Saturis"
type="xs:base64Binary" />
                            <xs:element minOccurs="0" maxOccurs="1" name="Hash"
type="xs:string" />
                        </xs:all>
                        <xs:attribute name="IsAttachment" type="xs:boolean" />
                    </xs:complexType>
                </xs:element>
                <xs:element minOccurs="0" maxOccurs="1"
name="AdministrativoIzdevumuParskats">
                    <xs:complexType>
                        <xs:all>
                            <xs:element minOccurs="0" maxOccurs="1" name="UID"
type="xs:string" />
                            <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums"
type="xs:string" />
                            <xs:element minOccurs="1" maxOccurs="1" name="Saturis"
type="xs:base64Binary" />
                            <xs:element minOccurs="0" maxOccurs="1" name="Hash"
type="xs:string" />
                        </xs:all>
                        <xs:attribute name="IsAttachment" type="xs:boolean" />
                    </xs:complexType>
                </xs:element>
                <xs:element minOccurs="0" maxOccurs="1" name="Citi">
                    <xs:complexType>
                        <xs:sequence>
                            <xs:element minOccurs="0" maxOccurs="unbounded" name="R"
nillable="true">
                                <xs:complexType>
                                    <xs:all>
                                        <xs:element minOccurs="0" maxOccurs="1"

```

```

name="Apraksts" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="Fails">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1"
name="UID" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1"
name="Nosaukums" type="xs:string" />
            <xs:element minOccurs="1" maxOccurs="1"
name="Satars" type="xs:base64Binary" />
            <xs:element minOccurs="0" maxOccurs="1"
name="Hash" type="xs:string" />
          </xs:all>
          <xs:attribute name="IsAttachment"
type="xs:boolean" />
        </xs:complexType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:schema>

```